

QUICK FIX II

ASPHALT PATCH & CRACK FILLER

RESISTS OIL, GASOLINE & WEATHER ~ DRIES JET BLACK ~ WATER SOLUBLE

A READY MIX, FAST DRYING, COAL TAR PATCHING COMPOUND FOR REPAIRING CRACKS AND HOLES IN ASPHALT SURFACES. IT CAN BE USED IN SURFACES DAMAGED BY GASOLINE, OIL, AND CHEMICAL STAINS.

ASPHALT PATCH & CRACK FILLER IS READY TO USE, FAST DRYING RESISTANT TO GASOLINE AND OIL SPILLS, AND PROVIDES A RESILIENT AND IMPENETRABLE SURFACE FOR ASPHALT DRIVEWAYS AND PARKING AREAS.

DIRECTIONS FOR USE: CLEAN DAMAGED AREA OF ALL OIL, GREASE AND OTHER RESIDUE, THEN RINSE WITH CLEAN WATER. APPLY ASPHALT PATCH & CRACK FILLER DIRECTLY TO DAMP SURFACE, SPREADING COMPOUND OUT EVENLY. AREA IS READY TO USE IN 24 HOURS.

COVERAGE: FIVE GALLONS OF ASPHALT PATCH & CRACK FILLER CAN RESURFACE 50 SQUARE FEET AT A DEPTH OF 1/8".

CAUTIONARY STATEMENT:

1. DO NOT USE THIS PRODUCT BEFORE READING THE MATERIAL SAFETY DATA SHEET. DO NOT TRANSFER TO UNMARKED CONTAINERS. FOR INDUSTRIAL AND PROFESSIONAL USE ONLY. KEEP OUT OF REACH OF CHILDREN.
2. PRECAUTIONARY STATEMENTS: EYES: MAY CAUSE IRRITATION TO EYES AND MUCUS MEMBRANES, BURNING SENSATION, PHOTOPHOBIA, KERATOCONJUNCTIVITIS, REDNESS, SWELLING, TEARING AND POSSIBLE CORNEAL CHANGES. SKIN: MAY CAUSE IRRITATION, ITCHING, BURNING, SWELLING AND REDNESS, DERMATITIS, TAR WARTS AND ROUGH SKIN. PHOTSENSITIZATION OF SKIN MAY OCCUR. INHALATION: MAY CAUSE COUGHING, SNEEZING, AND SWOLLEN OR IRRITATED NASAL MUCOSA AND SINUSES. PROLONGED CONTACT MAY CAUSE RESPIRATORY DIFFICULTIES, CONVULSIONS AND POSSIBLE CARDIOVASCULAR COLLAPSE MAY OCCUR. INGESTION: DO NOT INGEST. MAY CAUSE NAUSEA, VOMITING, ABDOMINAL DISCOMFORT, RAPID PULSE. IN EXTREME CASES, CARDIOVASCULAR COLLAPSE MAY OCCUR. OVEREXPOSURE MAY CAUSE CANCER (AS DEFINED BY OSHA STANDARD).
3. FIRST AID: IN CASE OF CONTACT WITH EYES, FLUSH WITH WATER FOR AT LEAST 15 MINUTES. CALL PHYSICIAN. IN CASE OF CONTACT WITH SKIN, WASH WITH WATERLESS HAND CLEANER, REMOVE CONTAMINATED CLOTHING, DO NOT REUSE UNTIL THOROUGHLY LAUNDERED. IN INHALED, REMOVE TO FRESH AIR. IF NOT BREATHING, GIVE ARTIFICIAL RESPIRATION. CALL PHYSICIAN. IN CASE OF INGESTION, DO NOT INDUCE VOMITING. GIVE WATER OR CLEAR LIQUIDS. CONSULT PHYSICIAN.
4. SAFETY: KEEP ALL CONTAINERS TIGHTLY CLOSED AND IN A PROPERLY VENTILATED AREA, AWAY FROM SOURCES OF HEAT AND FLAME. IN CASE OF LARGE SPILLS, EVACUATE ALL UNNECESSARY PERSONNEL FROM AFFECTED AREA. DO NOT RE-ENTER AFFECTED AREA WITHOUT PROPER PROTECTION EQUIPMENT. VENTILATE AREA OF SPILL. COLLECT IN MOST SAFE MANNER FOR DISPOSAL OR RECLAMATION IN SEALED CONTAINERS.
5. DISPOSAL: DISPOSE OF IN A ENVIRONMENTALLY SAFE MANNER AND IN ACCORDANCE WITH GOVERNMENT REGULATIONS.
6. SPECIAL PRECAUTIONS: WASH HANDS BEFORE EATING OR SMOKING. KEEP ALL CONTAINERS TIGHTLY CLOSED IN A PROPERLY VENTILATED AREA. KEEP AWAY FROM HEAT AND FLAME. USE NEOPRENE GLOVES IF NECESSARY. WEAR PROTECTIVE GLASSES OR GOGGLES.

50-10TPZ



E.L.S. Products Corp.

1.800.528.4861